EURO VISTA STACK™

FRAMED / FRAMELESS STACKING DOORS

euro-wall®

FOLDING SLIDING STACKING PIVOT

www.euro-wall.com
888.989.EURO (3876)

SYSTEM THRESHOLDS

Maximum / Minimum Specifications

Max Panel Weight:	660 lbs each panel
Min Panel Width:	18”
Max Panel Width:	96”
Min Panel Height:	24”
Max Panel Height:	188”
Panel Thickness:	2-1/4”
Max # of Panels:	Unlimited

NOTE: When using maximum panel widths & heights, panels may exceed maximum panel weight of 660 lbs. Calculated weight check should be done.

SYSTEM HIGHLIGHTS

Top hung stacking glass doors create a strong, safe and secure way of effortlessly opening and closing your entrance while maintaining the aesthetic appeal of your residential or commercial space. Stacking glass doors provide uninterrupted views, whether open or closed. They slide, pivot and stack in a similar style to bi-folding doors and stack against the walls or into pocket locations at either end of the opening.

Panel Options
The Euro Vista Stack™ can be built as framed units (standard door panels) or frameless units (all glass panels with a narrow top and bottom rail)

Configuration
The Euro Vista Stack can be stacked to the right, left or both right and left as a two component door system

Hardware
Non-corrosive material / stainless steel available

Twinpoint Hardware
Stainless steel (304SS) and aluminum components

16’ Tall Panel Flexibility
The massive panel height abilities make the Vista Stack an ideal solution for residences, store fronts, stadiums, private suites, restaurants, room dividers and more

Frame Material Options
Aluminum and aluminum with wood cladding

Stacking Options
Standard stacking options are 90° perpendicular, parallel, 135° parallel (see next page for details) - custom stacking options are also available

Pivot Door Option
Certain stacking configurations allow the application of an active pivot door with a 5 point locking system (3 hooks + top & bottom shootbolts)

Sills
Does not require a threshold / floor track

Matching Fixed Units
Matching transom and sidelite units available

SYSTEM COMPONENTS

Framed Stacking System Shown



STACKING / PARKING OPTIONS

The Euro Vista Stack™ allows all of the visible panels to be stacked to one side or two sides of a door opening allowing for maximum uninterrupted views. Custom stacking solutions available in addition to our standard parking options shown here.

Parallel Stacking



90° Perpendicular Stacking



135° Parallel Stacking

©2023 Euro-Wall, LLC • www.euro-wall.com

ALUMINUM PANEL FINISH OPTIONS

STANDARD FRAME & ALUMINUM PANEL FINISHES

White
AAMA 2605

Clear Anodized
Class I

Sunstorm Arcadia Silver
AAMA 2605

Bronze
AAMA 2605

Black
AAMA 2605

- Powder coat or Kynar® finishes available
- Custom powder coat or Kynar® finishes available
- Manufacturer color match options
- Custom wood grain finishes available

INTERIOR WOOD CLAD FINISH OPTION

- Mahogany / sapele
- White oak
- Additional wood species available

STANDARD WOOD CLADDING FINISHES

White Oak

Mahogany / Sapele

In addition to the two standard cladding finishes, Euro-Wall's Euro Vista Stack™ can be finished with a wide variety of other exotic species. Please see page 7 of this brochure for additional custom wood cladding options.

NOTE: The Euro Vista Stack™ is available in the following panel options:

- **Aluminum**
- **Aluminum with Wood Clad**

HARDWARE / HANDLE FINISH OPTIONS

HARDWARE

Available Finishes

Brushed Satin
Bronze
Black

TWINPOINT

Available Finishes

White
Brushed Satin
Bronze
Black
Custom Colors Available

©2023 Euro-Wall, LLC • www.euro-wall.com

CONFIGURATION SAMPLES



NOTE: Custom configuration options are available to fit your commercial or residential needs. Please call one of our product specialists for custom configuration consultation. **1.888.989.3876**

SUPERIOR BY DESIGN

©2023 Euro-Wall, LLC • www.euro-wall.com

FRAMED STACKING PANEL CROSS SECTION



FRAMELESS STACKING PANEL CROSS SECTION



SUPERIOR

GLAZING OPTIONS

Framed Panel Glass Options

- 1/4” Tempered
- 9/16” Laminated
- 1” IG
- 1” IG Laminated

Frameless Panel Glass Options

- 3/8” Tempered
- 1/2” Tempered
- 1/2” Laminated

©2023 Euro-Wall, LLC • www.euro-wall.com

ADDITIONAL OPTIONS

OPTIONAL FIXED UNIT / TRANSOM



FIXED UNITS

Fixed units are a great way to add more light in and / or to enhance the aesthetic of your stacking door. Fixed units can be fabricated as stand alone windows or to match any Euro-Wall stacking door system. Euro-Wall fixed unit / transoms are constructed with high grade 6063-T5 aluminum and are thermally broken. Fixed units are available in aluminum or aluminum with wood cladding construction finishes. The Euro Vista Fixed Unit™ can be tailor made to fit your needs.

Top View: Mullbar Attachment Detail



CUSTOM WOOD CLADDING OPTIONS

African Rosewood

Ash

Birch

Curly Maple

Mahogany / Sapele
Standard Finish Option

Red Oak

Walnut

White Oak
Standard Finish Option

Zebrawood

©2023 Euro-Wall, LLC • www.euro-wall.com

EURO-WALL 10 YEAR WARRANTY

Euro-Wall warrants the products to be free from manufacturing defects for a period of 10 years from the date of purchase.

888.989.EURO (3876)

www.euro-wall.com

euro-wall®

FOLDING | SLIDING | STACKING | PIVOT

MANUFACTURING

2200 Murphy Court
North Port, Florida 34289
888.989.3876 • 941.979.5316

SHOWROOM

1211 Stirling Road, Unit 102,
Dania Beach, Florida 33004
954.610.2572

Proud Member of the American Architectural Manufacturers Association.

AAMA